



307 East Morgan • P.O. Box 940 • Jacksonville, Illinois 62650
Phone 1-800-231-3880 • Fax 217-245-0400
www.productionpress.com

EQUIPMENT LIST

OFFICE

- ⊕ WEBSITE AT WWW.PRODUCTIONPRESS.COM WITH FTP CAPABILITIES
- ⊕ HAGEN OA REALTIME OPERATING SYSTEM-ESTIMATING/ACCOUNTING/SHOP FLOOR
- ⊕ HUMIDIFICATION SYSTEM INSTALLED THROUGHOUT ENTIRE PLANT

PREPRESS

- ⊕ KODAK INSITE PREPRESS PORTAL SYSTEM
REMOTE PROOFING TO MAJOR PRINT BUYERS
- ⊕ 9 MACINTOSH/PC WORKSTATIONS CAPABLE OF RECEIVING FILES FORMATTED ON ALL MEDIAS AND MOST SOFTWARE PROGRAMS
- ⊕ LINOTYPE HELL TOPAZ 2 FLATBED SCANNER- HIGH RESOLUTION, 11X17 MAXIMUM IMAGE AREA
- ⊕ FUJITSU DOCUMENT SCANNER- 25 PAGES PER MINUTE
- ⊕ CREO-PRINERGY WORKFLOW SYSTEM
AUTOMATED, SCALEABLE PREPRESS WORKFLOW FOR PREPRESS, PROOFING AND PLATE PRODUCTION
PROVEN, CUTTING EDGE TECHNOLOGY: PREFLIGHTING, COLOR MANAGEMENT, TRAPPING, RIPPING
- ⊕ 40" EPSON STYLUS PRO 10600 DIGITAL COLOR PROOFER USING ULTRACHROME 6 COLOR INKING SYSTEM-
PRODUCES DIGITAL COLOR AND DIGITAL DYLUX PAGE PROOFS USING INTEGRIS REGISTER SYSTEM
CALIBRATED TO COLOR MATCH ON ALL OF OUR PRESSES
- ⊕ 40" EPSON STYLUS PRO 9800 DIGITAL COLOR PROOFER USING ULTRACHROME 8 COLOR INKING SYSTEM-
PRODUCES DIGITAL COLOR AND DIGITAL DYLUX PAGE PROOFS
CALIBRATED TO COLOR MATCH ON ALL OF OUR PRESSES
- ⊕ KODAK APPROVAL PROOFING SYSTEM-
DIGITALLY RENDER CONTRACT-QUALITY HALFTONE DOT PROOFS SO PRECISE THEY MATCH THE PRESS
SHEET AND CAN ELIMINATE THE NEED FOR IN-HOUSE PRESS CHECKS
PROOF SPOT COLORS ON ACTUAL PRINTING STOCKS AND SUBSTRATES FOR THE MOST ACCURATE
PREDICTION OF THE PRINTING PROCESS- NO SURPRISES, NO ANXIETY
CONTROL DENSITY AND DOT GAIN TO MAINTAIN IMAGE INTEGRITY
- ⊕ CREO TRENDSETTER 800 QUANTUM PLATEMAKER
FULLY AUTOMATED DIGITAL COMPUTER-TO-PLATE SYSTEM
PLATE SIZES FROM 13" x 19" UP TO 30.3125" x 40.5"
- ⊕ KODAK IN-LINE PLATE PROCESSOR
ALLOWS CONSISTENT AND EXACTING PLATE DEVELOPMENT

PRESSES

- ⊕ **PRESSTEK 34DI DIGITAL OFFSET PRESS**
MAXIMUM SHEET SIZE 13.39" x 18.11"
MAXIMUM IMAGE AREA 12.99" x 17.72"
50# OFFSET - .20 POINT BOARD

- ⊕ **HEIDELBERG CD 102-4 COLOR**
MAXIMUM SHEET SIZE 28.375" x 40.125"
MAXIMUM IMAGE AREA 27.9375" x 40.125"
50# OFFSET - .40 POINT BOARD

- ⊕ **HEIDELBERG SPEEDMASTER 5 COLOR WITH AQUEOUS COATER**
MAXIMUM SHEET SIZE 29.13" x 20.87"
MAXIMUM IMAGE SIZE 29.13" x 20.08"
50# OFFSET - .24 POINT BOARD

- ⊕ **RYOBI 3302 2 COLOR**
MAXIMUM SHEET SIZE 13.39" x 17.72"
MAXIMUM IMAGE SIZE 13" x 17.25"
MINIMUM SHEET SIZE 3.54" x 3.94"
50# OFFSET - .18 POINT BOARD
ROLL-UP ENVELOPE FEEDER

- ⊕ **KLUGE EHF PRESS**
MAX. SHEET SIZE 17" x 24.75"
FOIL STAMPING • EMBOSsing • DIE CUTTING

- ⊕ **HEIDELBERG CYLINDER LETTERPRESS**
MAX. SHEET SIZE 22x30
DIE CUTTING (POCKET FOLDERS, TAB DIVIDERS, DOOR KNOB HANGERS, LABELS, ETC),
PERFORATING, SCORING
WE HAVE OVER 100 POCKET FOLDER DIES IN VARIOUS SIZES TO CHOOSE FROM

- ⊕ **HEIDELBERG WINDMILL PLATTEN LETTERPRESS**
MAX. SHEET SIZE 10 x 15
CONSECUTIVE NUMBERING, SCORING, PERFORATING

BINDERY

- ⊕ EUROBIND 1200 HEIDELBERG PERFECT BINDER
FOUR CLAMP ADHESIVE PERFECT BINDER
AUTOMATED SET UP, HIGH SPEED
4.75" x 5.75" MINIMUM
11.812" x 16.5" MAXIMUM
.078" MINIMUM SPINE
1.75" MAXIMUM SPINE
- ⊕ POLAR PAPER CUTTERS
54" POLAR 137 XT HIGH SPEED CUTTING SYSTEM WITH COMPUCUT AND TOUCH SCREEN TECHNOLOGY
31" PROGRAMMABLE WITH AIR TABLE
- ⊕ STAHL FOLDERS
2-40" x 20" 32 PAGE STREAM FED WITH IN-LINE SCORING AND PERFORATING
1-TA 52 20.5" x 33.5" FLAT PILE FEEDER WITH TOUCH SCREEN TECHNOLOGY
- ⊕ HEIDELBERG STITCHMASTER ST-350 STITCHER TRIMMER
6 SIGNATURE POCKETS WITH COVER FEEDER
100 PAGES MAXIMUM CAPACITY (1/2" THICKNESS)
12.375" x 18.75" MAXIMUM TRIMMED SIZE
3.125 x 4.75 MINIMUM TRIMMED SIZE
3-KNIFE FINISH TRIM WITH STACKER
12,000 BOOKS PER HOUR
- ⊕ DUPLO SYSTEM 5000 BOOKLETMAKER
TOUCH SCREEN TECHNOLOGY
20 POCKET COLLATOR
14" x 20" MAXIMUM SHEET SIZE
4.75" x 5.5" MINIMUM SHEET SIZE
5000 BOOKS PER HOUR
- ⊕ HIGH SPEED, HEAVY DUTY PLASTIC SPIRAL AND TWIN LOOP WIRE-O BINDING
RENZ SUPER 700 AUTOMATIC HIGH SPEED PAPER PUNCH
KUGLER AUTOMATED PAPER PUNCH
PBS 3000 AUTOMATIC COIL INSERTER
MINIMUM SHEET SIZE 4.5" x 4.5", MAXIMUM SHEET SIZE 14" x 20"
- ⊕ KIRK-RUDY WAVEJET INKJET ADDRESSING SYSTEM
MAIL MANAGER 2010 PROCESSING/SORTING SOFTWARE
PRODUCES ALL USPS FORM REQUIREMENTS
NATIONWIDE ADDRESSES UPDATED QUARTERLY
3 HIGH RESOLUTION INKJET HEADS FOR MAXIMUM VERSATILITY
INFRARED DRYER ALLOWING IMPRINTING ON ANY STOCK
IN-LINE TABMASTER TABBING UNIT
HIGH SPEED, HEAVY DUTY
- ⊕ KLUGE UNIFOLD AUTOMATIC POCKET FOLDER/GLUER
COMPLETELY AUTOMATES GLUING, FOLDING AND CONSTRUCTING PRESENTATION FOLDERS,
PROMOTIONAL PIECES AND UNIQUELY DESIGNED PROJECTS IN MOST ANY SIZE AND FORMAT
- ⊕ SCOTT TABCUTTING AND MYLAR REINFORCING MACHINE
- ⊕ MULLER MARTINI 12 POCKET COLLATOR
- ⊕ WOHLBERG AUTOMATED 3-KNIFE BOOK TRIMMER
- ⊕ LAWSON HIGH SPEED 3-SPINDLE DRILLS (2)
- ⊕ MOLL POCKET FOLDER GLUER
- ⊕ KALFASS AUTOMATIC WRAP IN-LINE HEAT TUNNEL SHRINKWRAPPER
- ⊕ ULTRA 200 UV COATER
OFFLINE COATER WITH A MAXIMUM SHEET SIZE OF 20X26. (COVERS, POSTCARDS, POSTERS, ETC.)
STOCK: MINIMUM - 80# TEXT, MAXIMUM - 18PT. COVER